



# Parkwood Entry Doors

Crafted for durability, designed to impress.



Step into the perfect fusion of functionality and modern elegance with the G.James 472 Series Parkwood Entry Door.

The Parkwood range offers a premium alternative to traditional timber doors. An all-aluminium construction delivers strength, security, and style to enhance the appearance of any front door.

Your Parkwood door is designed for minimal maintenance, ensuring long-lasting appeal and performance for years to come.


Whether you are looking to upgrade the entrance of your home or searching for a reliable and stylish option for a new build, the Parkwood Entry Door is a versatile and sophisticated choice that will make a definite impression.



# Architectually Styled

The 472 Series Parkwood Entry Door strikes the ideal balance between aesthetics and practicality, making it an excellent choice for any home.

Unlike timber alternatives, our selection of Parkwood aluminium powder-coated entrance doors requires minimal maintenance to keep their appearance. Featuring robust construction and superior strength, you'll find the perfect door for your building style.





**Parkwood Door** 472 Series

## **Design Options**

**Note:** Maximum recommended panel size: 2340mm (h) x 1200mm (w), excluding frame.

Strata TGV





Strata 44T



Strata 10TH



Strata 3L









Strata SV04



#### Strata VV53








#### Strata HV





#### **Parkwood Door** 472 Series

### Handle Options



Palladium Handle (Default) (Single Point Locking supplied as standard. Triple-point locking option available upon request.)



Regal Handle & Lock Set (Optional, available upon request)

#### **Features**

- The Parkwood Entry Door boasts a sleek and modern appearance that adds a touch of elegance to any entrance.
- Aluminium construction ensures strength, durability, and excellent weather resistance, making the Parkwood Door ideal for exterior applications.
- With various design options available, it is easy to personalise your Parkwood Door to fit any architectural style or preference.
- The Parkwood Entry Door is low maintenance, allowing homeowners to enjoy its benefits without the hassle of extensive upkeep.1
- Aluminium is 100% recyclable, making the Parkwood Door more eco-friendly than alternative entry door materials.
- Provision for fly, barrier, and Crimsafe screens.<sup>2</sup>
- 3 / 7 year 'peace of mind' warranty.

<sup>1</sup> Subject to the G.James <u>Aluminium Cleaning Instructions.</u> <sup>2</sup> 125mm frame required for screening.

#### **Technical Data**


Max. Size:	2340mm (h) x 1200mm (w), excluding frame.
Panel Thickness:	41mm
Max. Water Performance:	150 Pa.
Perimeter Frame Width:	101mm or 125mm (for screening)
Acoustics:	N/A
BAL:	BAL29 for designs with glass panels. BAL40 for all aluminium designs.
Compatible Construction Types:	Brick veneer, clad wall, block wall and cavity brick.



#### Parkwood Door Colour Selector

#### Powdercoat Colours

\* COLORBOND® steel colour match



Dune (Satin) \*

Paperbark (Satin) \*

NOTE: The colour/finish swatches shown above are intended as a GUIDE ONLY and as representative as modern printing processes and computer monitors allow. G.James recommends once your choice has been narrowed, that a physical colour swatch or aluminium sample of your selected colour/finish be viewed prior to your order confirmation. G.James takes no responsibility or liability for any colour misrepresentation between this selector and the product supplied.

# 132 877 | gjames.com

#### G.James Glass & Aluminium (Qld) Pty. Ltd. ABN 53 010 828 056

Branches: (QLD) Eagle Farm, Logan City, Narangba, Ipswich, Gold Coast, Toowoomba, Sunshine Coast, Gympie, Hervey Bay, Bundaberg, Rockhampton, Townsville & Cairns; (NSW) Sydney, Lismore, Newcastle, Taree & Queanbeyan; (ACT) Canberra; (SA) Adelaide.



